

XML Version File Management

- Need to manage different versions of software stack
 - Current system based on build_scripts, requires XML version file
 - There are a lot of different versions now
Still an “expert” level problem?
 - Add simple CLI - see `gluex_install`, branch `ui_update`
- Version XML files cached in common directory
 - Version aliases
 - Version files on halldweb
 - Local files

gluex_versions

- In gluex_install:
 - source gluex_cmds.sh
 - GLUEX_TOP should be defined
- Commands:

```
[sdobbs@charm gluex_install]$ gluex_versions -h
'-h' not a supported command!
commands = show show-all build config build-jlab config-jlab show-local
```

```
[sdobbs@charm gluex_install]$ gluex_versions show-local
All versions locally available:
```

```
recon-2017_01-ver03_1_jlab
test
1.24
```

← **Installed Versions**

gluex_versions

```
[sdobbs@charm gluex_install]$ gluex_versions show-all
```

All versions available at JLab:

```
version_1.0.xml  
version_1.1.xml  
version_1.2.xml  
version_1.3.xml  
version_1.4.xml  
version_1.5.xml  
version_1.5_fall14.xml  
version_1.6.xml  
version_1.7.xml  
version_1.8.xml  
version_1.9.xml  
version_1.10.xml  
version_1.11.xml  
version_1.12.xml  
version_1.13.xml  
version_1.14.xml  
version_1.15.xml  
version_1.15_jlab.xml  
version_1.16.xml  
version_1.17.xml  
version_1.18.xml  
version_1.19.xml  
version_1.20.xml  
version_1.21.xml  
version_1.22.xml
```

etc.

There are a lot!

gluex_versions

- By default, show only selected versions

```
[sdobbs@charm gluex_install]$ gluex_versions show
gluex-v3.1-20180808
latest*
recon-2016_02-ver06*
recon-2017_01-ver03*
workfest2018
```

 *** means available locally**

- Aliases specified in centralized config file

```
latest version.xml
workfest2018 version_workfest2018_baseline.xml
gluex-v3.1-20180808 version_3.1_jlab.xml
recon-2017_01-ver03 version_recon-2017_01-ver03_1_jlab.xml
recon-2016_02-ver06 version_recon-2017_01-ver03_1_jlab.xml
```

Alias

File name

Other commands

- Load environment:
 - `gluex_version config <version>`
 - `gluex_version config-jlab <version>`
- Compile software set:
 - `gluex_version build <version>`
 - `gluex_version build-jlab <version>`
- Version hierarchy:
 - `alias -> remote file -> local file`
- Command aliases: `gluex_config`, `gluex_build`