

Hall A Simulation & Analysis

Ole Hansen

Jefferson Lab

IT for the 12 GeV Era – Internal Review
May 20, 2011

Hall A 12 GeV Experiments Overview

Very tentatively in anticipated chronological order

| Experiment | APEX | A_1^n | G_M^n | "SBS" | | | |
|------------------|---------------|---------|----------|---------|---------------|------------|--------|
| | | | | G_E^n | G_M^n | $G_E^P(5)$ | Transv |
| PAC number 12- | 10-009 | 06-122 | 07-108 | 09-016 | 09-019 | 07-109 | 09-018 |
| Config | L+R(CI) | L+R(SA) | BB+L(SA) | BBG+ND | BBG+ND | SBS+BC | SBS+BB |
| PAC days | 34 | 23 | 31 | 58 | 48 | 60 | 64 |
| Schedule(?) | – 2014/2015 – | | | | – 2016/2017 – | | |
| Evt size (kB) | 4 | 4 | 4 | 30 | 20 | 120 | 5 |
| Trig rate (kHz) | 5 | 10 | 0.1 | 2 | 2 | 1 | 5 |
| Data rate (MB/s) | 20 | 40 | 0.4 | 60 | 40 | 120 | 25 |

| Experiment | Møller | DVCS | Hypernucl | SOLID | |
|------------------|---------|-----------------|-----------|---------------|--------|
| | | | | SIDIS | PVDIS |
| PAC number 12- | 09-005 | 06-114 | 10-001 | 10-006 | 10-007 |
| Config | toroid | L+ γ Cal | HKS(?) | – solenoid – | |
| PAC days | 253 | 88 | 42 | 90 | 225 |
| Schedule(?) | 2018/19 | – 2020 – | | – 2021/2022 – | |
| Evt size (kB) | 15 | 30 | 2 | 4 | 1 |
| Trig rate (kHz) | 2 | 0.5 | 0.1 | 55 | 500 |
| Data rate (MB/s) | 30 | 15 | 0.2 | 220 | 500 |

L: L-HRS, R: R-RHS, BB: BigBite, BBG: BB(GEM), ND: neutron det, SBS: SuperBigBite, BC: BigCal, CI: coinc., SA: sing. arm

Calibration, Data Quality Checks, Prompt Analysis

- Approach

- ▶ Done on adaq cluster in Hall A counting house
- ▶ Raw data stored on local disks → no MSS/uplink bandwidth required for calibration replay

- Resources

- ▶ 12 dedicated CPU cores → **64 cores** by FY15
- ▶ $1.5 + 6$ TB local disk → **$15 + 60$ TB** by FY15,
 $30 + 120$ TB by FY18 to hold $\approx 10\%$ of raw/analyzed data

Simulation

- Typically low-volume
- Done off-site or on non-farm user computers
- We anticipate this mode of operation to continue in the 12 GeV era

Analysis — Software

- Hall A analyzer (“Podd”), in production use since 2003
 - ▶ C++/ROOT-based
 - ▶ Highly modular. Many experiments write custom modules for their special requirements
 - ▶ Supported on Linux, Solaris (deprecated), Mac OS X (in development)
 - ▶ Compiles and runs on 64-bit
 - ▶ Main limitation: not automatically parallel → implement full parallelization by FY13
- Custom software
 - ▶ Parity experiments
 - ▶ DVCS (partly)
 - ▶ Completely user-supported

Analysis — Computing Requirements

| | 2011 DVCS/SRC | 2012 g2p | 2013 DOWN | 2014 COMISS | 2015 HRS/BB | 2016 SBS-I | 2017 SBS-II | 2018 Møller |
|---------------------------|------------------|-------------|--------------|----------------|----------------|---------------|----------------|----------------|
| Time per event/core (ms) | 10 | 5 | 5 | 5 | 20 | 40 | 60 | 12 |
| Passes through data | 3 | 3 | 1 | 2 | 3 | 3 | 3 | 4 |
| Output size/input size | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 4 |
| Years to analyze | 3 | 3 | 1 | 1 | 3 | 3 | 3 | 3 |
| Replay duty factor | 50% | 50% | 50% | 50% | 50% | 75% | 75% | 75% |
| Output held on work disk | 10% | 10% | 10% | 20% | 20% | 20% | 10% | 10% |
| CPU time per year (s) | 4.3e7 | 1.9e8 | 1.9e8 | 1.8e8 | 6.6e8 | 1.4e9 | 2.0e9 | 1.6e9 |
| Dedicated farm cores | 3 | 12 | 12 | 12 | 42 | 60 | 84 | 65 |
| Cooked data to tape (TB) | 129 | 245 | 245 | 174 | 132 | 510 | 1641 | 2642 |
| Work disk storage (TB) | 13 | 25 | 25 | 23 | 26 | 102 | 215 | 302 |
| Avg bandwidth (MB/s) | 16 | 31 | 31 | 20 | 17 | 43 | 139 | 187 |
| Totals | | | | | | | | |
| Farm cores (2011 vintage) | 3 | 12 | 12 | 12 | 42 | 60 | 84 | 65 |
| New cores each year | 0 | 9 | 0 | 0 | 30 | 18 | 24 | 0 |
| Raw+cooked to tape (PB) | .26 | .36 | .25 | .19 | .26 | .89 | 2.77 | 2.92 |
| Disk storage (TB) | 13 | 25 | 25 | 23 | 26 | 102 | 215 | 302 |
| Storage bandw. (MB/s) | 25 | 41 | 31 | 23 | 34 | 67 | 211 | 205 |

Analysis — Computing Requirements

| | 2011 DVCS/SRC | 2012 g2p | 2013 DOWN | 2014 COMISS | 2015 HRS/BB | 2016 SBS-I | 2017 SBS-II | 2018 Møller |
|---------------------------|------------------|-------------|--------------|----------------|----------------|---------------|----------------|----------------|
| Time per event/core (ms) | 10 | 5 | 5 | 5 | 20 | 40 | 60 | 12 |
| Passes through data | 3 | 3 | 1 | 2 | 3 | 3 | 3 | 4 |
| Output size/input size | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 4 |
| Years to analyze | 3 | 3 | 1 | 1 | 3 | 3 | 3 | 3 |
| Replay duty factor | 50% | 50% | 50% | 50% | 50% | 75% | 75% | 75% |
| Output held on work disk | 10% | 10% | 10% | 20% | 20% | 20% | 10% | 10% |
| CPU time per year (s) | 4.3e7 | 1.9e8 | 1.9e8 | 1.8e8 | 6.6e8 | 1.4e9 | 2.0e9 | 1.6e9 |
| Dedicated farm cores | 3 | 12 | 12 | 12 | 42 | 60 | 84 | 65 |
| Cooked data to tape (TB) | 129 | 245 | 245 | 174 | 132 | 510 | 1641 | 2642 |
| Work disk storage (TB) | 13 | 25 | 25 | 23 | 26 | 102 | 215 | 302 |
| Avg bandwidth (MB/s) | 16 | 31 | 31 | 20 | 17 | 43 | 139 | 187 |
| Totals | | | | | | | | |
| Farm cores (2011 vintage) | 3 | 12 | 12 | 12 | 42 | 60 | 84 | 65 |
| New cores each year | 0 | 9 | 0 | 0 | 30 | 18 | 24 | 0 |
| Raw+cooked to tape (PB) | .26 | .36 | .25 | .19 | .26 | .89 | 2.77 | 2.92 |
| Disk storage (TB) | 13 | 25 | 25 | 23 | 26 | 102 | 215 | 302 |
| Storage bandw. (MB/s) | 25 | 41 | 31 | 23 | 34 | 67 | 211 | 205 |

Analysis — Computing Requirements

| | 2011 DVCS/SRC | 2012 g2p | 2013 DOWN | 2014 COMISS | 2015 HRS/BB | 2016 SBS-I | 2017 SBS-II | 2018 Møller |
|---------------------------|------------------|-------------|--------------|----------------|----------------|---------------|----------------|----------------|
| Time per event/core (ms) | 10 | 5 | 5 | 5 | 20 | 40 | 60 | 12 |
| Passes through data | 3 | 3 | 1 | 2 | 3 | 3 | 3 | 4 |
| Output size/input size | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 4 |
| Years to analyze | 3 | 3 | 1 | 1 | 3 | 3 | 3 | 3 |
| Replay duty factor | 50% | 50% | 50% | 50% | 50% | 75% | 75% | 75% |
| Output held on work disk | 10% | 10% | 10% | 20% | 20% | 20% | 10% | 10% |
| CPU time per year (s) | 4.3e7 | 1.9e8 | 1.9e8 | 1.8e8 | 6.6e8 | 1.4e9 | 2.0e9 | 1.6e9 |
| Dedicated farm cores | 3 | 12 | 12 | 12 | 42 | 60 | 84 | 65 |
| Cooked data to tape (TB) | 129 | 245 | 245 | 174 | 132 | 510 | 1641 | 2642 |
| Work disk storage (TB) | 13 | 25 | 25 | 23 | 26 | 102 | 215 | 302 |
| Avg bandwidth (MB/s) | 16 | 31 | 31 | 20 | 17 | 43 | 139 | 187 |
| Totals | | | | | | | | |
| Farm cores (2011 vintage) | 3 | 12 | 12 | 12 | 42 | 60 | 84 | 65 |
| New cores each year | 0 | 9 | 0 | 0 | 30 | 18 | 24 | 0 |
| Raw+cooked to tape (PB) | .26 | .36 | .25 | .19 | .26 | .89 | 2.77 | 2.92 |
| Disk storage (TB) | 13 | 25 | 25 | 23 | 26 | 102 | 215 | 302 |
| Storage bandw. (MB/s) | 25 | 41 | 31 | 23 | 34 | 67 | 211 | 205 |

Analysis — Computing Requirements

| | 2011 DVCS/SRC | 2012 g2p | 2013 DOWN | 2014 COMISS | 2015 HRS/BB | 2016 SBS-I | 2017 SBS-II | 2018 Møller |
|---------------------------|------------------|-------------|--------------|----------------|----------------|---------------|----------------|----------------|
| Time per event/core (ms) | 10 | 5 | 5 | 5 | 20 | 40 | 60 | 12 |
| Passes through data | 3 | 3 | 1 | 2 | 3 | 3 | 3 | 4 |
| Output size/input size | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 4 |
| Years to analyze | 3 | 3 | 1 | 1 | 3 | 3 | 3 | 3 |
| Replay duty factor | 50% | 50% | 50% | 50% | 50% | 75% | 75% | 75% |
| Output held on work disk | 10% | 10% | 10% | 20% | 20% | 20% | 10% | 10% |
| CPU time per year (s) | 4.3e7 | 1.9e8 | 1.9e8 | 1.8e8 | 6.6e8 | 1.4e9 | 2.0e9 | 1.6e9 |
| Dedicated farm cores | 3 | 12 | 12 | 12 | 42 | 60 | 84 | 65 |
| Cooked data to tape (TB) | 129 | 245 | 245 | 174 | 132 | 510 | 1641 | 2642 |
| Work disk storage (TB) | 13 | 25 | 25 | 23 | 26 | 102 | 215 | 302 |
| Avg bandwidth (MB/s) | 16 | 31 | 31 | 20 | 17 | 43 | 139 | 187 |
| Totals | | | | | | | | |
| Farm cores (2011 vintage) | 3 | 12 | 12 | 12 | 42 | 60 | 84 | 65 |
| New cores each year | 0 | 9 | 0 | 0 | 30 | 18 | 24 | 0 |
| Raw+cooked to tape (PB) | .26 | .36 | .25 | .19 | .26 | .89 | 2.77 | 2.92 |
| Disk storage (TB) | 13 | 25 | 25 | 23 | 26 | 102 | 215 | 302 |
| Storage bandw. (MB/s) | 25 | 41 | 31 | 23 | 34 | 67 | 211 | 205 |

Analysis — Computing Requirements

| | 2011 DVCS/SRC | 2012 g2p | 2013 DOWN | 2014 COMISS | 2015 HRS/BB | 2016 SBS-I | 2017 SBS-II | 2018 Møller |
|---------------------------|------------------|-------------|--------------|----------------|----------------|---------------|----------------|----------------|
| Time per event/core (ms) | 10 | 5 | 5 | 5 | 20 | 40 | 60 | 12 |
| Passes through data | 3 | 3 | 1 | 2 | 3 | 3 | 3 | 4 |
| Output size/input size | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 4 |
| Years to analyze | 3 | 3 | 1 | 1 | 3 | 3 | 3 | 3 |
| Replay duty factor | 50% | 50% | 50% | 50% | 50% | 75% | 75% | 75% |
| Output held on work disk | 10% | 10% | 10% | 20% | 20% | 20% | 10% | 10% |
| CPU time per year (s) | 4.3e7 | 1.9e8 | 1.9e8 | 1.8e8 | 6.6e8 | 1.4e9 | 2.0e9 | 1.6e9 |
| Dedicated farm cores | 3 | 12 | 12 | 12 | 42 | 60 | 84 | 65 |
| Cooked data to tape (TB) | 129 | 245 | 245 | 174 | 132 | 510 | 1641 | 2642 |
| Work disk storage (TB) | 13 | 25 | 25 | 23 | 26 | 102 | 215 | 302 |
| Avg bandwidth (MB/s) | 16 | 31 | 31 | 20 | 17 | 43 | 139 | 187 |
| Totals | | | | | | | | |
| Farm cores (2011 vintage) | 3 | 12 | 12 | 12 | 42 | 60 | 84 | 65 |
| New cores each year | 0 | 9 | 0 | 0 | 30 | 18 | 24 | 0 |
| Raw+cooked to tape (PB) | .26 | .36 | .25 | .19 | .26 | .89 | 2.77 | 2.92 |
| Disk storage (TB) | 13 | 25 | 25 | 23 | 26 | 102 | 215 | 302 |
| Storage bandw. (MB/s) | 25 | 41 | 31 | 23 | 34 | 67 | 211 | 205 |

Analysis — Computing Requirements

| | 2011 DVCS/SRC | 2012 g2p | 2013 DOWN | 2014 COMISS | 2015 HRS/BB | 2016 SBS-I | 2017 SBS-II | 2018 Møller |
|---------------------------|------------------|-------------|--------------|----------------|----------------|---------------|----------------|----------------|
| Time per event/core (ms) | 10 | 5 | 5 | 5 | 20 | 40 | 60 | 12 |
| Passes through data | 3 | 3 | 1 | 2 | 3 | 3 | 3 | 4 |
| Output size/input size | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 4 |
| Years to analyze | 3 | 3 | 1 | 1 | 3 | 3 | 3 | 3 |
| Replay duty factor | 50% | 50% | 50% | 50% | 50% | 75% | 75% | 75% |
| Output held on work disk | 10% | 10% | 10% | 20% | 20% | 20% | 10% | 10% |
| CPU time per year (s) | 4.3e7 | 1.9e8 | 1.9e8 | 1.8e8 | 6.6e8 | 1.4e9 | 2.0e9 | 1.6e9 |
| Dedicated farm cores | 3 | 12 | 12 | 12 | 42 | 60 | 84 | 65 |
| Cooked data to tape (TB) | 129 | 245 | 245 | 174 | 132 | 510 | 1641 | 2642 |
| Work disk storage (TB) | 13 | 25 | 25 | 23 | 26 | 102 | 215 | 302 |
| Avg bandwidth (MB/s) | 16 | 31 | 31 | 20 | 17 | 43 | 139 | 187 |
| Totals | | | | | | | | |
| Farm cores (2011 vintage) | 3 | 12 | 12 | 12 | 42 | 60 | 84 | 65 |
| New cores each year | 0 | 9 | 0 | 0 | 30 | 18 | 24 | 0 |
| Raw+cooked to tape (PB) | .26 | .36 | .25 | .19 | .26 | .89 | 2.77 | 2.92 |
| Disk storage (TB) | 13 | 25 | 25 | 23 | 26 | 102 | 215 | 302 |
| Storage bandw. (MB/s) | 25 | 41 | 31 | 23 | 34 | 67 | 211 | 205 |

Analysis — Other Considerations

- DST size should be optimized for certain experiments. Factors of 3–4 might be excessive.
- SOLID experiments will need a **dedicated L3 trigger farm** (after 2019)

Other Requirements

- Application software
 - ▶ ROOT
 - ▶ CVS, svn, accessible from offsite
- MySQL databases
 - ▶ Few 100 GB
 - ▶ Accessible/synchronizable from offsite

Management & Manpower

- Online coordinator: Alexandre Camsonne
- Offline coordinator: OH
- Software development
 - ▶ “Podd”: lead by Hall A staff (OH)
 - ▶ Many user contributions
 - ▶ Custom software fully user-developed
 - ▶ Coordinated via annual Hall A “analysis workshop”
- More manpower needed (both for online & offline)
 - ▶ Collaborate with other halls, DAQ group, users
 - ▶ New hires (postdoc/staff)