


π^0 yield run dependence

Justin Stevens
Analysis Meeting: 9.13.17



WILLIAM & MARY
CHARTERED 1693


Initial goal: understand 2017 difference



- * No clear indication that flux or MC efficiency can produce such a large discrepancy for only 50% larger intensity
- * Try breaking it down by individual runs...

Run-by-run comparison: N_{π^0}/N_{PS}


**Normalize π^0
yield by tagged
PS flux in the
coherent peak**



RunNumber	Beam Current (nA)	FCAL HV Set	TAGM bias/ threshold Set	Low-E TAGH HV
30274-30788	100	1	1	On
30789-30807	150	2	2	Off
30808-31057	150	3	2	Off

https://halldweb.jlab.org/wiki-private/index.php/Spring_2017_Dataset_Summary#Global_Events

Run-by-run comparison: N_{π^0}/N_{PS}




RunNumber	Beam Current (nA)	FCAL HV Set	TAGM bias/ threshold Set	Low-E TAGH HV
30274-30788	100	1	1	On
30789-30807	150	2	2	Off
30808-31057	150	3	2	Off

https://halldweb.jlab.org/wiki-private/index.php/Spring_2017_Dataset_Summary#Global_Events


FCAL shower XY position: π^0 events

FCAL HV #1
30700-30788




Normalize
maximum
to unity

FCAL HV #2
30796-30807





FCAL HV #3
30806-30860




Take ratio w.r.t.
FCAL HV #1

Showers at larger
radii are lost in
FCAL HV set #3




FCAL shower XY position: π^0 events


FCAL HV #1
30700-30788



FCAL HV #2
30796-30807





FCAL HV #3
30806-30860




**Make a fiducial cut
to remove all showers
with $R_{XY} > 75$ cm**

**Then compare
normalized π^0 yields**



Run-by-run comparison: N_{π^0}/N_{PS}



Summary

- * Observed changes in normalized π^0 yield with FCAL HV settings near low \rightarrow high intensity transition
- * Showers from the π^0 events in the outer radius of the FCAL seem to be suppressed in HV set #3
- * A fiducial cut to exclude the outer radius of FCAL brings the HV #2 and #3 results into ~agreement
- * Interest in comparing to fully charged channels which may be less sensitive to FCAL HV settings
- * (Or do they have larger trigger-dependent effects?)